

RETROFLEX

Standardized Equipment



CI FLEXO PRESS

Welcome to the **RETROFLEX** family of central impression flexographic printing presses.

Guards, shields and safety devices removed for illustration purposes only; do not operate without these items in place and func



The Fox-Series line of CI presses is designed for mid to wide (60" - 100" wide) webs. These presses can be part of an existing line, or they can include an unwind, drying/curing system and rewind for off-line operation. They can reach speeds over 2500 fpm with a typical repeat range of 36"-48".

The K-Series line of CI presses is designed for narrow to mid (10" - 60" wide) webs. These presses can be part of an existing line, or they can include an unwind, drying/curing system and rewind for off-line operation. They can achieve speeds up to 1200 fpm with a typical repeat range of 15" - 30".



Standard Features (most models):

- Ceramic Laser Engraved Anilox Rolls
- Chambered Doctoring Systems
- Quick exchange ink chambers
- Pneumatic or Hydraulic Lock Up
- Sunday Drives
- Helical Gears
- Hinged Bearing caps for fast anilox/plate changes
- Precision Ground CI drum
- Robust roll journals
- Side to Side registration (manual)
- Circumferential Registration (manual)
- Robust Precision Machined Frames
- Linear bearings for anilox/plate frames
- Tension Isolation Nip Roll System

Optional Features available (most models):

- Sleeved Anilox/Plate rolls
- Bridge systems for sleeves
- On-Press sleeve changes
- Auto Flush systems for ink chambers
- Servo Deck positioning
- Temperature controlled CI drum
- Servo side to side register
- Gearless servo drive system
- Sleeve carts and lifts
- Web inspection camera
- Unwind (single or turret)
- Dryer (hot air or UV)
- Chill section
- Rewind (single or turret)

Whether you print narrow web envelope stock at 1000 fpm, wide web tissue at over 2500 fpm or any paper or film that needs 2 -10 colors, Retroflex has a model to suit your needs. Our standard features will give you years of reliable performance. The addition of features such as our optional servo drive for gearless operation combined with on-press anilox and plate sleeve changes can improve your bottom line by reducing job change and set up time.

Call Retroflex for solutions that work!

RETROFLEX, INC

1205 Broadway Street • Wrightstown, WI 54180
Phone: Toll Free 1-877-532-5600
Main: 1-920-532-4850 Fax: 1-920-532-4854
Website: <http://www.retroflex.com>
E-Mail: sales@retroflex.com